

Intended Use

- For the repair of small and medium-severe damage to matt surfaces (e.g. oiled-waxed parquet flooring etc.).
- Recommended for indoor use.

Characteristics

- A mixture of high-quality mineral waxes with a share of synthetic materials, coloured with earth and oxide dyes.
- Strong and hard-wearing.
- Good elasticity.
- Very good adhesion properties.
- Colour shades can be intermixed during melting.
- Will not shine after application.

Application Notes

Remove all loose and splintered parts. With real wood, use the Edge Planer to press damage edges slightly down in the direction of the grain, to obtain smooth transitions. With artificial surfaces, cut damage edges straight down with the Edge Planer. Melt off small portions of Hard Wax Matt using the heated tip of the Electric Heating Iron (Hard Wax level) or the Gas Heating Iron (lowest level) and fill molten wax into the damaged area. Filling in cooled wax (pressing in the material with the Special Fillers Applicator) will reduce the adhesive properties of the product in the damage. Evenly remove excess material when cooled down (approx. 1 min.) using the leading edge of the Special Fillers Applicator or the Metal Planer. Levelling with the teeth of the Special Fillers Applicator would cause smearing of the material on the surface. An exact colour adjustment can be done with any König touch-up product. Use Special Repair Lacquer PLUS or Furniture Repair Lacquer PLUS to seal and protect the repaired area from dust and dirt to adjust the sheen level, if necessary.

Instead of applying too heavy coats, 2-3 thin misty coats from a distance of 30-40cm are best.

Physical Properties and Shelf Life

Softening point:	approx. 85°C	(ISO 2207)
Dropping point:	approx. 90°C	(DIN 51801)
Mechanical stability:	good	
Overcoat:	with all König lacquers	
Adhesion:	very good adhesion to all plastics, soft and hard woods, linoleum, TPO	
Shelf life:	unlimited (stored at room temperature, in unopened original container)	

Safety Precautions

- Risk of burns during processing.
- The product is not subject to mandatory labelling according to Regulation (EC) no. 1272/2008 [CLP].

Disposal

- No special disposal regulations to be observed. Can be disposed of with normal household waste.

Packaging

On request.

*Further information on the internet at
www.heinrich-koenig.de*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Heinrich König & Co. KG

An der Rosenhelle 5 • D-61138 Niederdorfelden

Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: info@heinrich-koenig.de

Issue 09/17